

# fuelprotrailers.com





### STANDARD FEATURES

### TANK **CONSTRUCTION**







- 7 Gauge, Double Seem Welded Tank
- ☑ Internal Fuel Surge Baffles and Cross Bracing
- ✓ 6" Deep Drop Sump with 1/2" Drain Plug
- ✓ At-a-Glance Fuel Gauge
- ✓ Lockable Vented Fill Caps
- ☑ Tank Pressure Relief Vent
- ✓ Custom 6" C-Channel Chassis



Adjustable Hitch and Safety Chains

### **DESIGN AND SAFETY FEATURES**

- ✓ Manufactured to DOT Specs
- ✓ Adjustable 5 Position Vertical 2-5/16" Ball Hitch or Pintle Hitch

- ☑ Reflective DOT Tape and (4) DOT 1993 Diesel Fuel Placards
- ☑ Roll Over Railing
- □ Diamond Plate Rock Guard on Fenders
- ☑ Two Coats Acrylic Enamel Paint with Industrial Tuff Cout Alkyde Primer

### WHEELS, TIRES & TORSION AXLES



8 Bolt Steel Wheels Shown

- ☑ Dexter Torsion Axles with EZ Lube Hubs
- ✓ 6 or 8 Bolt Steel Wheels (depending on model)



Digital Breakaway on Both Axles

### **ELECTRICAL**

- ☑ GXL Outdoor Wire Ran Through Conduit for Maximum **Protection from Weather Elements**
- ☑ Electric Drum Breaks on Both Dexter Axles
- ✓ 7 Way RV Plug Connector
- ☑ Digital Breakaway on Both Axles

### **FUEL PUMP SYSTEM**



Inside Front Box with 25 GPM, 12V DC Pump



40 GPM Electric Start Gas Engine



Base Model with 25 **GPM Pump** 

- ☑ 12V DC Industrial Grade Pump, Rated up to 25 GPM and Self Priming
- ☑ Runs Off a Deep Cycle Battery (Standard on All Models with DC Pump)
- ✓ UPGRADE to a 40 GPM Kohler Electric Start, GAS Engine with Battery Kit



FuelPRO 20 Micron Fuel Filter



At-a-Glance Fuel Gauge



- Auto Trip Nozzle on Models with Front Box
- ✓ At-a-Glance Fuel Gauge
- ☑ FuelPRO 20 Micron Fuel Filter





DEF Gauge and Fill Cap



DC DEF Pump

- ✓ ISO 22241 Compliant

- ☑ 30' Auto Retracting DEF Reel with SS Auto Trip Nozzle
- □ 3-Inch Fill Port for Easy Fill From Your Tote or Dispenser

# Fuel Pro OPTIONS



#### 40 GPM KOHLER GAS POWERED ENGINE

6.5 HP gas powered, electric start Kohler Engine with diesel fuel compatible centrifugal pump. Capable of dispensing diesel fuel at a rate of up to 40 GPM. (N/A on Base Models)



#### FUEL HOSE REEL UPGRADE

Upgrade the standard 35' x 1" hose reel to a 50' x 1" hose reel. Hose reels are autoretracting and include an auto-trip nozzle. (Available on 750 or 990 FB non-DEF models only)



#### **ALUMINUM WHEELS**

Upgrade the standard steel wheels to aluminum. Includes diamond plate rock guard on front box.



#### HYDRAULIC-ELECTRIC JACK

Replace the standard jack with an electric powered hydraulic version



#### 6 DRAWER TOOL BOX

Custom 6 drawer tool box to fit into your middle box option. Drawer system made of roller bearings, guides and auto latching drawers. Available in powder coated white or black. (Requires Middle Box)



#### SPARETIRE

Spare 16" 10-ply tire mounted to the top of the trailer. Trailers with middle box option can be mounted inside box.



#### WORK LIGHTS

Includes lights in the box and 2 magnetic rechargable cordless lights.



#### FUELPRO 10 MICRON FUEL FILTER

Upgrade standard FuelPRO 20 Micron Fuel Filter to FuelPRO 10 Micron Fuel Filter



#### CUSTOM PAINT COLOR

Change standard white color to any color



#### AIR COMPRESSOR / GENERATOR COMBO

Visit fuelprotrailers.com for complete specifications (Requires Rear Box)



#### AIR COMPRESSOR / GENERATOR / WELDER

ARC N Air 150 Compressor / Generator with Welder and Battery Charger



#### 100' AUTO RETRACTING AIR HOSE REEL

3/8" x 100" 300 PSI auto-retracting air hose reel. Requires Air Compressor/ Generator Combo option. (Requires Rear Box)



#### FUEL METERS WITH SWIVEL

Swivel mounted in line with the dispensing nozzle. Meter shows fill and cumulative totals in gallons and liters



#### GROUNDING CABLE

Auto-retracting grounding cable to eliminate electric shock 35' or 75' length



#### SAFETY KIT

Fire extinguisher and spill clean up kit (oil absorbing rages, spill containment rope, rubber gloves and disposable bag) mounted in the front toolbox



#### FRONT, MIDDLE OR REAR BOX

Powder Coat Finish with lockable chrome latches. Gas door struts. Front and middle box has left and right access doors and storage shelf on 750/990 Models. Rear box has hatch style door



#### SOLAR CHARGING PANEL

30W photovoltaic solar panel to charge the battery with a truck connection.
Controller included.





	500 BM	500 FB	500 FB-DEF
Tank Size		– 500 Gallon –	
Tank Thickness		– 7 Gauge –	
<b>DOT Compliant</b>		– Yes –	
<b>Torsion Axles</b>		– Dual 3,500 lb. –	
Hubs		– 6 Lug –	
<b>Electric Brakes</b>		– Equipped on Both Torsion Axles –	
Tires		16" D Range	
<b>Fuel Baffles</b>		2 Internal Fuel Baffles	
Frame		6"	
L/W/H	11'6" / 5'10" / 4'8"	11'6" / 5'10" / 4'8"	12'8" / 5'10" / 4'8"
<b>Empty Weight</b>	2,000 lbs.	2,200 lbs.	2,400 lbs.
GVWR		– 7,000 lbs. –	
Front Box	N/A	Yes	Yes
Rear Box	N/A	N/A	N/A
DEF Tank	N/A	N/A	55 Gallon



### uel 500 GALLON MODELS



Inside Box with 40 GPM Electric Start Gas Engine Inside Box with 25 GPM 12V Electric Pump

- ☑ Deep Cycle Battery
- ☑ Lockable Vented Fuel Cap
- ✓ At-a-Glance Fuel Gauge



- ☑ ISO 22241 Compliant

- ☑ 30" Auto-Retracting DEF Reel with PIUSI Stainless Steel
- ☑ PIUSI DC Pump
- ☑ 3" Fill Port for Easy Fill From Your Tote or Dispenser

Inside 500FB-DEF Box with DC Pump



### Fuel 750 GALLON MODELS



#### FUEL DELIVERY SYSTEM FEATURES

#### CHOOSE:

- ☐ 25 GPM, 12 Volt DC Industrial Grade Pump
- 40 GPM Electric Start Gas Engine (N/A on Base Models)
- ☐ 35' Auto Retracting 1" Hose Reel
- ☐ 50' Auto Retracting 1" Hose Reel
- ☐ 18' of 1" Hose on Base Models
- ☑ Auto Trip Nozzle
- ☑ Deep Cycle Battery
- ☑ FuelPRO 20 Micron Fuel Filter
- ✓ Lockable Vented Fuel Cap
- ☑ Tank Pressure Relief Vent




and Aluminum Wheels

Electric Jack



Shown with Custom Color and Aluminum Wheels





### Fuel Pro 750 GALLON MODELS

# 750 FB-DEF



### AVAILABLE OPTIONS ON THIS MODEL

- ☐ Air Compressor / Generator
- ☐ 100′ Auto Retracting Air Hose Reel
- Custom 6 Drawer Tool Box



Air Compressor / Generator with 100' Air Hose Reel



Black 6-Drawer Tool Box

#### DEF DELIVERY SYSTEM FEATURES

- ☑ ISO 22241 Compliant

- □ 30" Auto-Retracting DEF Reel with PIUSI Stainless Steel
- ☑ PIUSI DC Pump
- ☑ 3" Fill Port for Easy Fill From Your Tote or Dispenser



Shown with Custom Color

			/	/	/	/	/	
	750 BM	/ 750 FB	750 FRB	750 FMR	750 FB-DEF	/ 750 FRB-DEF	750 FMR-DEF	
Tank Size		– 750 Gallon –						
Tank Thickness		– 7 Gauge –						
<b>DOT Compliant</b>				– Yes –				
<b>Torsion Axles</b>	-	– Dual 5,000 lbs –			– Dual 6,000 lbs – Dua			
Hubs		- 6 Lug -						
<b>Electric Brakes</b>	– Equipped on both Torsion Axles –			– Equipped on both Torsion Axles –				
Tires	– 16" D Range –			– 16" E Range –				
<b>Fuel Baffles</b>	-2	– 2 Internal Fuel Baffles –			– 2 Internal Fuel Baffles –			
Frame		-6"-			-6"-			
L/W/H	11'10" / 7' / 5'	11'10" / 7' / 5'	13'5" / 7' / 5'	14'3" / 7' / 5'	15'10" / 7' / 5'	16'9" / 7' / 5'	18'4" / 7' / 5'	
<b>Empty Weight</b>	2,720 lbs.	2,920 lbs.	3,120 lbs.	3,420 lbs.	3,620 lbs.	3,880 lbs.	4,080 lbs.	
GVWR	– 10,000 lbs. –		– 12,000 lbs. –			14,000 lbs.		
Front Box	N/A	Yes	Yes	Yes	Yes	Yes	Yes	
Middle Box	N/A	N/A	N/A	N/A	N/A	Yes	Yes	
Rear Box	N/A	N/A	Yes	Yes	Yes	Yes	Yes	
<b>DEF Tank</b>	N/A	N/A	N/A	N/A	115 Gallon	115 Gallon	115 Gallon	

## Tiel 990 GALLON MODELS



#### FUEL DELIVERY SYSTEM FEATURES

#### CHOOSE:

- ☐ 25 GPM, 12 Volt DC Industrial Grade Pump
- 40 GPM Electric Start Gas Engine (N/A on Base Models)

#### CHOOSE:

- 50' Auto Retracting 1" Hose Reel
- ☐ 18' of 1" Hose on Base Models
- ✓ Auto Trip Nozzle
- ✓ Deep Cycle Battery
- ✓ Lockable Vented Fuel Cap
- ☑ Tank Pressure Relief Vent
- ✓ At-a-Glance Fuel Gauge





Custom Paint Color



### Teleso 990 GALLON MODELS



#### DEF DELIVERY SYSTEM FEATURES

- ✓ ISO 22241 Compliant

- ☑ 30" Auto-Retracting DEF Reel with PIUSI Stainless Steel Auto Trip Nozzle
- ☑ PIUSI DC Pump
- ☑ 3" Fill Port for Easy Fill From Your Tote or Dispenser



Shown with Aluminum Wheels and Custom Paint Color





#### AVAILABLE OPTIONS ON THIS MODEL

- ☐ Air Compressor / Generator
- ☐ 100' Auto Retracting Air Hose Reel
- ☐ Custom 6 Drawer Tool Box

Door	Pa

	990 BM	990 FB	990 FRB	990 FRB-DEF	990 FB-DEF	/ 990 FMR-DEF	
Tank Size		– 990 Gallon –					
Tank Thickness		– 7 Gauge –					
<b>DOT Compliant</b>		– Yes –					
<b>Torsion Axles</b>		- Dual 6,000 lbs -		– Dual 7	,000 lbs –	Tri 6,000 lbs	
Hubs		– 8 Lug –					
<b>Electric Brakes</b>		<ul><li>– Equipped on both Torsion Axles –</li></ul>					
Tires		– 16" E Range –					
<b>Fuel Baffles</b>		– 5 Internal Fuel Baffles –					
Frame		-6"-					
L/W/H	13'11" / 7' / 5'	13'11" / 7' / 5'	15'6" / 7' / 5'	17'11" / 7' / 5'	18'10" / 7'/ 5'	20'5" / 7' / 5'	
<b>Empty Weight</b>	3,525 lbs.	3,825 lbs.	4,025 lbs.	4,300 lbs.	4,325 lbs.	4,625 lbs.	
GVWR		– 12,000 lbs. –		– 14,000 lbs. –		18,000 lbs.	
Front Box	N/A	Yes	Yes	Yes	Yes	Yes	
Middle Box	N/A	N/A	N/A	N/A	Yes	Yes	
Rear Box	N/A	N/A	Yes	Yes	Yes	Yes	
<b>DEF Tank</b>	N/A	N/A	N/A	115 Gallon	115 Gallon	115 Gallon	







#### AVAILABLE OPTIONS ON THIS MODEL

- ▼ 700 Gallon Diesel Fuel

- ☑ 120# Grease Tub
- ARC N Air 150 Compressor / Generator with Welder and Battery Charger







# AVAILABLE IN MULTI TANK OR SINGLE TANK CONFIGURATIONS

## **CUSTOMIZED TOO MEET YOUR NEEDS**

# WELLS MULTI-TANK MODELS



### 475-700-950 GALLON MODELS

AVAILABLE WITH-OR-WITHOUT DEF

Legally transport Diesel Fuel without HazMat endorsement!



- MODEL 475 MT >> (4) 119 GALLON TANKS
- MODEL 700 MT >> (6) 119 GALLON TANKS
- MODEL 950 MT >> (8) 119 GALLON TANKS

419-294-0400

Visit Us At:

